

**MONTANA DEPARTMENT OF ENVIRONMENTAL QUALITY
OPERATING PERMIT TECHNICAL REVIEW DOCUMENT**

**Permitting and Compliance Division
1520 E. Sixth Avenue
P.O. Box 200901
Helena, Montana 59620-0901**

ExxonMobil Billings Terminal
Section 25, Township 1 North, Range 26 East, Yellowstone County, Montana
607 ExxonMobil Road
Billings, MT 59101

The following table summarizes the air quality programs testing, monitoring, and reporting requirements applicable to this facility.

| Facility Compliance Requirements | Yes | No | Comments |
|---|------------|-----------|---------------------------------|
| Source Tests Required | X | | |
| Ambient Monitoring Required | | X | |
| COMS Required | | X | |
| CEMS Required | X | | |
| Schedule of Compliance Required | | X | |
| Annual Compliance Certification and Semiannual Reporting Required | X | | |
| Monthly Reporting Required | | X | |
| Quarterly Reporting Required | | X | |
| Applicable Air Quality Programs | | | |
| ARM Subchapter 7 Preconstruction Permitting | X | | #2967-00 |
| New Source Performance Standards (NSPS) | X | | 40 CFR 60, Subpart XX |
| National Emission Standards for Hazardous Air Pollutants (NESHAPS) | | X | Except for 40 CFR 61, Subpart M |
| Maximum Achievable Control Technology (MACT) | X | | 40 CFR 63, Subparts R and EEEE |
| Major New Source Review (NSR) – includes Prevention of Significant Deterioration (PSD) and/or Non-attainment Area (NAA) NSR | X | | |
| Risk Management Plan Required (RMP) | | X | |
| Acid Rain Title IV | | X | |
| Compliance Assurance Monitoring (CAM) | | X | |
| State Implementation Plan (SIP) | | X | |

TABLE OF CONTENTS

| | |
|---|-----------|
| SECTION I. GENERAL INFORMATION..... | 3 |
| A. PURPOSE..... | 3 |
| B. FACILITY LOCATION | 3 |
| C. FACILITY BACKGROUND INFORMATION | 3 |
| D. TAKING AND DAMAGING ANALYSIS..... | 3 |
| E. COMPLIANCE DESIGNATION | 3 |
| SECTION II. SUMMARY OF EMISSION UNITS | 4 |
| A. FACILITY PROCESS DESCRIPTION | 4 |
| B. EMISSION UNITS AND POLLUTION CONTROL DEVICE IDENTIFICATION | 4 |
| C. CATEGORICALLY INSIGNIFICANT SOURCES/ACTIVITIES | 5 |
| SECTION III. PERMIT CONDITIONS | 6 |
| A. EMISSION LIMITS AND STANDARDS | 6 |
| B. MONITORING REQUIREMENTS | 6 |
| C. TEST METHODS AND PROCEDURES..... | 6 |
| D. RECORDKEEPING REQUIREMENTS | 6 |
| E. REPORTING REQUIREMENTS | 6 |
| F. PUBLIC NOTICE | 7 |
| G. DRAFT PERMIT COMMENTS | 7 |
| SECTION IV. NON-APPLICABLE REQUIREMENT ANALYSIS | 8 |
| SECTION V. FUTURE PERMIT CONSIDERATIONS..... | 10 |
| A. MACT STANDARDS | 10 |
| B. NESHAP STANDARDS | 10 |
| C. NSPS STANDARDS | 10 |
| D. RISK MANAGEMENT PLAN..... | 10 |

SECTION I. GENERAL INFORMATION

A. Purpose

This document establishes the basis for the decisions made regarding the applicable requirements, monitoring plan, and compliance status of emission units affected by the operating permit proposed for this facility. The document is intended for reference during review of the proposed permit by the U.S. Environmental Protection Agency (EPA) and the public. It is also intended to provide background information not included in the operating permit and to document issues that may become important during modifications or renewals of the permit. Conclusions in this document are based on information provided in the original Title V application submitted by ExxonMobil Billings Terminal (ExxonMobil) on June 29, 2007.

B. Facility Location

ExxonMobil is located in Section 25, Township 1 North, Range 26 East, which is approximately 2 miles East of Billings in Yellowstone County.

C. Facility Background Information

Montana Air Quality Permit

The Department of Environmental Quality (Department) received a complete application for a Montana Air Quality Permit (MAQP) on March 5, 1998. ExxonMobil applied for the permit to establish federally enforceable limits for the product loading rack in order to meet synthetic minor requirements of the Title V Operating Permit program. **MAQP #2967-00** was issued May 3, 1998.

Title V Operating Permit

Following further evaluation of ExxonMobil the Department determined the facility was not appropriately permitted under the synthetic minor regulations. The Department determined the Billings Terminal meets the definition of a "support facility" to the separately permitted ExxonMobil Refinery (OP #1564-01). As a support facility to a major source, ExxonMobil is required to obtain a Title V Operating Permit. On March 28, 2006, the Department issued a letter to ExxonMobil requesting ExxonMobil submit an application for a Title V Operating Permit.

D. Taking and Damaging Analysis

HB 311, the Montana Private Property Assessment Act, requires analysis of every proposed state agency administrative rule, policy, permit condition or permit denial, pertaining to an environmental matter, to determine whether the state action constitutes a taking or damaging of private real property that requires compensation under the Montana or U.S. Constitution. As part of issuing an operating permit, the Department is required to complete a Taking and Damaging Checklist. As required by 2-10-101 through 105, MCA, the Department has conducted a private property taking and damaging assessment and has determined there are no taking or damaging implications. The checklist was completed on September 10, 2007.

E. Compliance Designation

On July 22, 2004, the facility was last inspected by the Department and ExxonMobil was found to be in compliance with their permit at that time.

SECTION II. SUMMARY OF EMISSION UNITS

A. Facility Process Description

The Billings Terminal is operated by ExxonMobil Oil Corporation and the nearby ExxonMobil Billings Refinery (Refinery) is operated by ExxonMobil Corporation. The Refinery transfers products to the Terminal for additive blending and distribution over the Terminal Loading rack. The Terminal is considered a support facility to the Refinery, and therefore, for air permitting purposes are considered one source.

Products manufactured in the Refinery are pumped to the Terminal for storage or loaded directly into cargo tank trucks for delivery to the retail point. Products loaded at the facility include motor gasoline (premium and regular unleaded and leaded regular), two grades of aviation gasoline, jet fuel several different grades of diesel, heating oil, and interface. Interface consists of the mixture of water and hydrocarbons that results from draining any water and hydrocarbons that results from draining any water from the storage tanks and any product drained from the cargo tanks prior to being loaded at the loading rack. Several additives are added at the point of loading to enhance certain desirable product characteristics. Additive arrives at the Terminal via rail or truck. Additive destined for use at other ExxonMobil Montana terminals is brought by railcar, stored at Billings and loaded directly into cargo tank trucks for over the road transport.

Loading is accomplished at two lanes at the loading rack. Product is pumped from storage on the Terminal's property or directly from Refinery storage. All of the distillate products (jet, diesel, and heating oil) and leaded regular mogas are loaded directly from Refinery storage.

The loading rack is controlled by a John Zink Adsorption/Absorption Gasoline Vapor Recovery Unit (VRU). The effective hydrocarbon vapor recovery system utilizes the processes of physical adsorption in combination with absorption to recover gasoline vapors and return the recovered product into storage. Exxon installed the VRU in 1994 which has a performance guarantee for hydrocarbon emissions not to exceed 10 milligrams per liter (mgfl) of product loaded at the loading rack for any consecutive 6-hour period during normal operations. Loading occurs by each cargo tank truck getting a "permissive" based on information about tightness certification contained in an on-board microchip. Without the permissive the truck cannot be loaded without intervention by an Exxon employee. Once a permissive has been received, this process only requires seconds, the vapor recovery system will be engaged and the normal loading will commence. This system was installed to facilitate Clean Air Act, New Source Performance Standards (NSPS), U.S. Department of Transportation (DOT), and state tightness certification requirements.

B. Emission Units and Pollution Control Device Identification

| Emission Unit ID | Description | Pollution Control Device/Practice |
|------------------|---|-----------------------------------|
| EU001 | Gasoline Loading Operations/Vapor Recovery Unit | Carbon Adsorption Recovery Unit |
| EU002 | Loading Rack Fugitive Emissions | None |

C. Categorically Insignificant Sources/Activities

| Emissions Unit ID | Description |
|--|---|
| IEU01 | Tanks 201, 202, 204, 206, 207, and 211 |
| IEU02 | Miscellaneous Fugitive Emissions |
| Tank 210 | 3,000 gallon underground oil/water separator tank |
| Natural Gas Fired Shop Heater | Maximum heat input of 45,000 BTU/hr |
| Natural Gas Fired Comfort Heater | Maximum heat input of 110,000 BTU/hr |
| Natural Gas Fired Space Heater | Maximum heat input of 150,000 BTU/hr |
| Diesel Fuel Fired Pressure Washer Water Heater | Maximum heat input of 420,000 BTU/hr |

SECTION III. PERMIT CONDITIONS

A. Emission Limits and Standards

There are no emission limits or standards identified in this permit that were not previously applicable to the facility. All of the emission limits are listed in the operating permit along with the applicable rule citation for each limit.

B. Monitoring Requirements

ARM 17.8.1212(1) requires that all monitoring and analysis procedures or test methods required under applicable requirements are contained in operating permits. In addition, when the applicable requirement does not require periodic testing or monitoring, periodic monitoring must be prescribed that is sufficient to yield reliable data from the relevant time period that is representative of the source's compliance with the permit.

The requirements for testing, monitoring, recordkeeping, reporting, and compliance certification sufficient to assure compliance do not require the permit to impose the same level of rigor for all emission units. Furthermore, they do not require extensive testing or monitoring to assure compliance with the applicable requirements for emission units that do not have significant potential to violate emission limitations or other requirements under normal operating conditions. When compliance with the underlying applicable requirement for a insignificant emissions unit is not threatened by lack of regular monitoring and when periodic testing or monitoring is not otherwise required by the applicable requirement, the status quo (**i.e., no monitoring**) will meet the requirements of ARM 17.8.1212(1). Therefore, the permit does not include monitoring for insignificant emission units.

The permit includes periodic monitoring or recordkeeping for each applicable requirement. The information obtained from the monitoring and recordkeeping will be used by the permittee to periodically certify compliance with the emission limits and standards. However, the Department may request additional testing to determine compliance with the emission limits and standards.

C. Test Methods and Procedures

The operating permit may not require testing for all sources if routine monitoring is used to determine compliance, but the Department has the authority to require testing if deemed necessary to determine compliance with an emission limit or standard. In addition, the permittee may elect to voluntarily conduct compliance testing to confirm its compliance status.

D. Recordkeeping Requirements

The permittee is required to keep all records listed in the operating permit as a permanent business record for at least five years following the date of the generation of the record.

E. Reporting Requirements

Reporting requirements are included in the permit for each emissions unit and Section V of the operating permit "General Conditions" explains the reporting requirements. However, the permittee is required to submit semi-annual and annual monitoring reports to the Department and to annually certify compliance with the applicable requirements contained in the permit. The reports must include a list of all emission limit and monitoring deviations, the reason for any deviation, and the corrective action taken as a result of any deviation.

F. Public Notice

In accordance with ARM 17.8.1232, a public notice was published in the *Billings Gazette* newspaper on or before January 7, 2008. The Department provided a 30-day public comment period on the draft operating permit from January 7, 2008, to February 6, 2008. ARM 17.8.1232 requires the Department to keep a record of both comments and issues raised during the public participation process.

The Department did not receive comments on the draft version of Operating Permit #OP2967-00.

Summary of Public Comments

| Person/Group Commenting | Comment | Department Response |
|-------------------------|----------------------------|---------------------|
| | No comments were received. | |

G. Draft Permit Comments

Summary of Permittee Comments

| Permit Reference | Permittee Comment | Department Response |
|------------------|----------------------------|---------------------|
| | No comments were received. | |

Summary of EPA Comments

| Permit Reference | EPA Comment | Department Response |
|------------------|----------------------------|---------------------|
| | No comments were received. | |

SECTION IV. NON-APPLICABLE REQUIREMENT ANALYSIS

Pursuant to ARM 17.8.1221, ExxonMobil requested a permit shield for all non-applicable regulatory requirements and regulatory orders identified in the tables in Section 8 of the permit application. In addition, the ExxonMobil permit application identified a permit shield request for applicable requirements for both the facility and for certain emission units. The Department has determined that the requirements identified in the permit application for the individual emission units are non-applicable. These requirements are contained in the permit in Section IV- Non-applicable Requirements.

The following table outlines those requirements that ExxonMobil had identified as non-applicable in the permit application but will not be included in the operating permit as non-applicable. The table includes both the applicable requirement and reason that the Department did not identify this requirement as non-applicable.

| Applicable Requirement | | Reason |
|--|---|---|
| Subchapter 2 Ambient Air Quality | | |
| ARM 17.8.210 | Ambient Air Quality Standards (AAQS) for Sulfur Dioxide | These rules are always applicable to a major source and may contain specific requirements for compliance |
| ARM 17.8.211 | AAQS for Nitrogen Dioxide | |
| ARM 17.8.212 | AAQS for Carbon Monoxide | |
| ARM 17.8.213 | AAQS for Ozone | |
| ARM 17.8.214 | AAQS for Hydrogen Sulfide | |
| ARM 17.8.220 | AAQS for Settled Particulate Matter | |
| ARM 17.8.221 | AAQS for Visibility | |
| ARM 17.8.222 | AAQS for Lead | |
| ARM 17.8.223 | AAQS for PM ₁₀ | |
| ARM 17.8.230 | Fluoride in Forage | |
| Subchapter 6 Open Burning | | |
| ARM 17.8.601 | Definitions | These rules consist of either a statement of purpose, applicability statement, regulatory definition or a statement of incorporation by reference. These types of rules do not have specific requirements associated with them. |
| ARM 17.8.602 | Incorporation by Reference | |
| ARM 17.8.611 | Emergency Open Burning Permits | The following regulations may not be applicable to the source at this time; however, these regulations may become applicable during the life of the permit. |
| ARM 17.8.612 | Conditional Air Quality Open Burning Permits | |
| ARM 17.8.613 | Christmas Tree Waste Open Burning Permits | |
| ARM 17.8.614 | Commercial Film Production Open Burning Permits | |
| ARM 17.8.615 | Firefighter Training | |
| Subchapter 9 Permit Requirements for Major Stationary Sources or Major Modifications Located Within Nonattainment Areas | | |
| ARM 17.8.901 | Definitions | These rules consist of a statement of purpose, applicability statement, regulatory definitions or a statement of incorporation by reference. These types of rules do not have specific requirements associated with them. |
| ARM 17.8.902 | Incorporation by Reference | |
| ARM 17.8.904 | When Air Quality Preconstruction Permit Required | |

| Applicable Requirement | | Reason |
|---|---|---|
| ARM 17.8.905 | Additional Conditions of Air Quality Preconstruction Permit | These regulations are state regulations, which may not be applicable to the source at this time; however, these regulations may become applicable during the life of the permit. |
| ARM 17.8.906 | Baseline for Determining Credit for Emissions and Air Quality Offsets | |
| Subchapter 10 Montana Air Quality Permit Requirements for Major Stationary Sources or Major Modifications Located Within Attainment or Unclassified Areas | | |
| ARM 17.8.1001 | Definitions | These rules consist of a statement of purpose, applicability statement, regulatory definitions or a statement of incorporation by reference. These types of rules do not have specific requirements associated with them. |
| ARM 17.8.1002 | Incorporation by Reference | |
| ARM 17.8.1004 | When Air Quality Preconstruction Permit Required | |
| ARM 17.8.1005 | Additional Conditions of Air Quality Preconstruction Permit | These regulations may not be applicable to the source at this time; however, these regulations may become applicable during the life of the permit. |
| ARM 17.8.1006 | Review of Specified Sources for Air Quality Impact | |
| ARM 17.8.1007 | Baseline for Determining Credit for Emissions and Air Quality Offsets | |
| Federal Requirements | | |
| 40 CFR 62 | Approval and Promulgation of State Plans for Designated Facilities and Pollutants | These rules contain requirements for regulatory authorities and not major sources; these rules can be used to impose specific requirements on a major source. |

SECTION V. FUTURE PERMIT CONSIDERATIONS

A. MACT Standards

As of the draft date of this permit, the Department is unaware of any future requirement that may be promulgated during the permit term for which this facility must comply. The MACT standards 40 CFR 63, Subpart R (Gasoline Distribution MACT) and 40 CFR, Subpart EEEE (Organic Liquid Distribution MACT) currently apply to this facility.

B. NESHAP Standards

As of the draft date of this permit, the Department is unaware of any future NESHAP Standards that may be promulgated that will affect this facility. The NESHAP Standard 40 CFR 61, Subpart M (National Emission Standard for Asbestos) does apply to this facility at this time.

C. NSPS Standards

As of the draft date of this permit, the Department is unaware of any future NSPS Standard that may be promulgated that will affect this facility. The NSPS Standard 40 CFR 60, Subpart XX (Bulk Gasoline Terminals) does apply to this facility at this time.

D. Risk Management Plan

As of the draft date of this permit, this facility does not exceed the minimum threshold quantities for any regulated substance listed in 40 CFR 68.115 for any facility process. Consequently, this facility is not required to submit a Risk Management Plan.

If a facility has more than a threshold quantity of a regulated substance in a process, the facility must comply with 40 CFR 68 requirements no later than June 21, 1999; 3 years after the date on which a regulated substance is first listed under 40 CFR 68.130; or the date on which a regulated substance is first present in more than a threshold quantity in a process, whichever is later.